

In the claims:

1. (Original) An aerosolization system comprising:
an aerosolization device comprising a chamber adapted to receive a receptacle; and
a receptacle containing a pharmaceutical formulation, the receptacle comprising a wall having a weakened portion that opens when a force is applied, whereby an opening into the receptacle may be created at the weakened portion before, during, or after insertion of the receptacle into the chamber by applying a force to the receptacle.
2. (Currently amended) ~~A~~ A system according to claim 1 wherein the weakened portion comprises a region of the wall altered so as to fracture at a force less than would be necessary without the alteration.
3. (Original) A system according to claim 1 wherein the weakened portion comprises a scored region and/or a portion of the wall having a reduced thickness.
4. (Original) A system according to claim 1 wherein the aerosolization device comprises a force applying member to apply a force to the weakened portion to create the opening in the receptacle.
5. (Original) A system according to claim 4 wherein the force applying member comprises a moveable portion of the chamber.
6. (Withdrawn) A system according to claim 5 wherein the movable portion is a flexible wall.
7. (Original) A system according to claim 4 wherein the force applying member comprises an opening mechanism slidably moveable within the chamber.
8. (Original) A system according to claim 7 wherein the opening mechanism comprises an opening member having a blunt tip.

9. (Original) A system according to claim 1 wherein the receptacle comprises a capsule.
10. (Original) A system according to claim 9 wherein the capsule comprises a wall comprising one or more of gelatin, hydroxypropyl methylcellulose, polyethyleneglycol-compounded hydroxypropyl methylcellulose, hydroxypropylcellulose, and agar.
11. (Original) A system according to claim 1 wherein the receptacle contains a powder pharmaceutical formulation.
12. (Original) A system according to claim 11 wherein the powder pharmaceutical formulation comprises particles having a mass median diameter less than 10 μm .
13. (Original) A system according to claim 11 wherein the powder pharmaceutical formulation has a moisture content below 5% by weight.
14. (Original) A method of aerosolizing a pharmaceutical formulation, the method comprising:
providing an aerosolization device comprising a chamber;
providing a receptacle containing a pharmaceutical formulation, the receptacle comprising a wall having a weakened portion that opens when a force is applied;
applying a force to the receptacle to create an opening at the weakened portion;
before, during, or after applying the force to the receptacle, inserting the receptacle into the chamber; and
aerosolizing the pharmaceutical formulation in the chamber.
15. (Original) A method according to claim 14 wherein the force is applied by a blunt member.
16. (Original) A method according to claim 14 wherein the force is applied after the receptacle is inserted into the chamber.
17. (Withdrawn) A method according to claim 16 wherein the force is applied by moving a wall of the chamber.

18. (Original) A method according to claim 16 wherein the force is applied by sliding a member within the chamber.
19. (Original) A method according to claim 14 wherein the applied force causes the weakened portion to break at a scored region.
20. (Original) A method according to claim 14 wherein the applied force causes the weakened portion to break at a region of reduced wall thickness.
21. (Original) A method according to claim 14 comprising aerosolizing the pharmaceutical formulation by dispersing the pharmaceutical formulation in an air or gas stream.
22. (Original) A method according to claim 21 wherein the air or gas stream is generated by a users inhalation.
23. (Original) A method according to claim 21 wherein the air or gas stream is from a source of pressurized gas.
24. (Original) A method according to claim 14 wherein the receptacle comprises a capsule.
25. (Original) A method according to claim 14 wherein the receptacle contains a powder pharmaceutical formulation.
26. (Original) A method according to claim 25 wherein the powder pharmaceutical formulation comprises particles having a mass median diameter less than 10 μm .
27. (Currently amended) A receptacle for use in an aerosolization device comprising a chamber adapted to receive the receptacle, the receptacle comprising:
a wall having a weakened portion that opens when a force is applied; and
an aerosolizable a-pharmaceutical formulation within the wall,
whereby an opening may be created at the weakened portion before, during, or after insertion of the receptacle into the chamber by applying a force to the receptacle.

28. (Original) A receptacle according to claim 27 wherein the weakened portion comprises a region of the wall altered so as to fracture at a force less than would be necessary without the alteration.
29. (Original) A receptacle according to claim 27 wherein the weakened portion comprises a scored region and/or a portion of the wall having a reduced thickness.
30. (Original) A receptacle according to claim 27 wherein the weakened portion is opened when a blunt force is applied.
31. (Original) A receptacle according to claim 27 wherein the receptacle is a capsule.
32. (Original) A receptacle according to claim 31 wherein the capsule comprises a wall comprising one or more of gelatin, hydroxypropyl methylcellulose, polyethyleneglycol-compounded hydroxypropyl methylcellulose, hydroxypropylcellulose, and agar.
33. (Original) A receptacle according to claim 27 wherein the receptacle contains a powder pharmaceutical formulation.
34. (Original) A receptacle according to claim 33 wherein the powder pharmaceutical formulation comprises particles having a mass median diameter less than 10 μm .
35. (Original) A receptacle according to claim 33 wherein the powder pharmaceutical formulation has a moisture content below 5% by weight.
36. (New) A system according to claim 1 wherein the receptacle is moveable within the chamber to aerosolize the pharmaceutical formulation.
37. (New) A method according to claim 14 wherein the receptacle is moveable within the chamber to aerosolize the pharmaceutical formulation.